



Occupational Therapy Discharge Report

Client Name

Date

Aisling van der Walt, BSc(OT) Hons, MCOT, MSSNP
Specialist Occupational Therapist in Neurorehabilitation

aisling.neurorehab@gmail.com

Tel: 07407389721

www.solasrehabilitation.com

Table of Contents

Diagnosis and Reason for Referral

State early management and reason for referral

Initial Assessment

State date of initial assessment, the initial goals set

Areas of Intervention: Activity Focused

Personal Care

Assessment:

Intervention:

Recommendations: (ongoing via carers or family)

Domestic Activities

Assessment:

Intervention:

Recommendation:

Community Access

Assessment:

Intervention:

Recommendation:

Leisure Activities

Assessment

Intervention:

Recommendation:

Areas of Intervention: Impairment Focused

Upper limb

Passive and active joint range of motion:

Abnormal tone:

Surgical intervention:

Splinting:

Scar massage:

Positioning: Bed and chair:

Recommendations:

Cognition

Fatigue

(include any other relevant impairment)

Goals & Outcome Measures

List goals and state if they have been achieved

Goal Attainment Scale (GAS)

GAS is a method of scoring the extent to which patient's individual goals are achieved in the course of intervention. In effect, each patient has their own outcome measure but this is scored in a standardised way as to allow statistical analysis (*Prof Lynne Turner-Stokes, Goal Attainment Scaling in Rehabilitation - A Practical Guide, April 2009*).

Baseline GAS score:

Discharge GAS score:

Improvement in GAS goals: **state if there is a statistically meaningful change**

(State other outcome measures used)

Ongoing Goals and Recommendations

Summary

Signed:

Appendix

Include any guidelines or programmes that have been implemented